

Product to remove curing compounds

Application

- **Multisol Extra Plus** is a powerful and user-friendly product for the removal of curing compounds applied onto concrete

Properties

- Odourless and colourless.
- Does not affect the concrete.
- The product is entirely stable and does not require stirring or shaking before use.

Directions

Work method

- Spray **Multisol Extra Plus** onto the concrete surface.
- Let the product become effective for a few minutes.
- Clean the surface thoroughly with a water-soap solution in a scrubbing machine.
- On small surfaces you can scrub manually with a normal scrubbing brush and afterwards rinse off with a water-soap solution.

Important remarks

- After applying **Multisol Extra Plus** onto the polished concrete, it is however possible that the surface has a somewhat more matte finish. This can be solved by subsequently cleaning the concrete floor with a nourishing soap allowing the silky lustre to spontaneously reappear.
- It goes without saying that the appearance of the concrete is largely determined by the quality and intensity of the polishing job.

Technical characteristics

Aspect	liquid
Colour	colourless
Boiling point	135-220°C
Flashpoint	30°C

Quantity to use

0,15 – 0,20 ltr/m²

Packaging

25 ltr

Safety information – Transport – Handling and storage - Waste

Consult the most recent and product-related safety information sheet from Rewah in compliance with the (EU) 453/2010 annex II/A guidelines. The information on the abovementioned safety information sheet has been drawn up with the greatest care and is based on the knowledge available at the date of issue. We accept no liability for damage or hindrance of any kind which could be caused by the use of the product concerned.

Transport and storage

Transport and store away from frost. Protect the product and its packaging against direct sunlight. Avoid storage at temperatures >30°C.

Storage life

1 year after manufacturing in the original closed packaging.

Considerations

The data included in this sheet, the application advices and other recommendations are based on extensive research and experience. They are however not binding also in relation to third party liability. They do not protect the customer against checking the products and directions for their suitability for the purpose. The characteristics and properties described are average values and analyses registered at 20°C, variances are tolerated. Our customer service will gladly answer your questions. The rewrite of this sheet replaces all previous sheets.