

Cement residue remover, free of phosphoric and hydrochloric acid**Application**

Cementremove is used to remove cement residue and lime efflorescences on masonry.

Properties

Cementremove penetrates deeply into the surface, however without leaving harmful product residues behind. **Cementremove** is easy-to-use. Contains no hydrochloric or phosphoric acid.

Directions**Preparation**

Apply a representative test in order to evaluate the efficiency and to determine the quantity to use.

Work method

Apply **Cementremove** undiluted to the subsoil by using a spraying machine or a brush. Allow **Cementremove** to act for 5 up to 10 minutes and then rinse thoroughly with water. In case of persistent contamination, it may be necessary to redo the treatment.

Important remarks

Do not use **Cementremove** on calciferous subsoil and natural stone. Window frames, glazing, metals, blue stone, etc. should be protected during treatment.

Technical characteristics

Aspect	liquid
Specific weight	+/- 1,0
pH	+/- 2,0

Quantity to use

Depending of the subsoil: +/- 0,3 à 0,7 ltr/m²

Packaging

10 ltr

Safety information – Transport – Handling and storage - Waste

Consult the most recent and product-related safety information sheet from Rewah in compliance with the (EU) 453/2010 annex II/A guidelines. The information on the abovementioned safety information sheet has been drawn up with the greatest care and is based on the knowledge available at the date of issue. We accept no liability for damage or hindrance of any kind which could be caused by the use of the product concerned.

Transport and storage

Transport and store away from frost. Protect the product and its packaging against direct sunlight. Avoid storage at temperatures >30°C.

Storage life

2 years after manufacturing in the original closed packaging.

Considerations

The data included in this sheet, the application advices and other recommendations are based on extensive research and experience. They are however not binding also in relation to third party liability. They do not protect the customer against checking the products and directions for their suitability for the purpose. The characteristics and properties described are average values and analyses registered at 20°C, variances are tolerated. Our customer service will gladly answer your questions. The rewrite of this sheet replaces all previous sheets.