

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
 Product name : UNICOVER MAT
 Type of product : Water-based paint dispersion

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial
 For professional use only
 Use of the substance/mixture : SU3 Industrial uses
 SU22 Professional uses
 Function or use category : PROC7 Industrial spraying, PC9a Coatings and paints, thinners, paintremovers, PROC10
 Roller application or brushing, PROC11 Non industrial spraying

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Rewah
 Nijverheidsweg 24
 B-2240 Zandhoven - Belgique-België
 T +32 (0)3 4751414 - F +32 (0)3 4751094
info@rewah.com

1.4. Emergency telephone number

Emergency number : +32 (0)70 245 245

Country	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+32 70 245 245	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains chloromethylisothiazoloneon & methylisothiazoloneon (3:1), 1,2-benzisothiazol-3(2H)-one, bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate, Hydroxyphenylbenzotriazol (Mixture) . May produce an allergic reaction.
 EUH210 - Safety data sheet available on request.

2.3. Other hazards

Other hazards not contributing to the classification : The product does not meet the PBT and vPvB classification criteria.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

UNICOVER MAT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44	1 - 5	Eye Irrit. 2, H319

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Not required.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : None, to our knowledge.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : In dry state: combustible.
- Explosion hazard : Not applicable.
- Reactivity in case of fire : Not applicable.

5.3. Advice for firefighters

- Precautionary measures fire : Avoid (reject) fire-fighting water to enter environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.
- Other information : High temperature may liberate toxic gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing, gloves and eye/face protection.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Notify authorities if liquid enters sewers or public waters. Avoid release to the environment. Restrict liquid from spreading over surface with floating screens if possible.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Waste to eliminate according to chemical waste law.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.

UNICOVER MAT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store away from freezing (avoid freezing during storage). Keep only in the original container in a cool, well ventilated place away from : heat sources. Keep container closed when not in use.

Storage temperature : 5 - 30 °C

Storage area : Store away from freezing (avoid freezing during storage).

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)		
Belgium	Local name	2-(2-Butoxyéthoxy)éthanol
Belgium	Limit value (mg/m ³)	67.5 mg/m ³
Belgium	Limit value (ppm)	10 ppm
Belgium	Short time value (mg/m ³)	101.2 mg/m ³
Belgium	Short time value (ppm)	15 ppm
United Kingdom	Local name	2-(2-Butoxyethoxy)ethanol
United Kingdom	WEL TWA (mg/m ³)	67.5 mg/m ³
United Kingdom	WEL TWA (ppm)	10 ppm
United Kingdom	WEL STEL (mg/m ³)	101.2 mg/m ³
United Kingdom	WEL STEL (ppm)	15 ppm

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Materials for protective clothing:

Long sleeved protective clothing

Hand protection:

Wear protective gloves. Replace gloves in time: no glovematerial is unlimited protecting to chemicals or a combination of chemicals. Time of penetration is to be checked with the glove producer. Recommendation. Use nitrile gloves. VITON gloves. 6 (> 480 minutes)

Eye protection:

Where contact with eyes or skin is likely, wear suitable protection.

Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Avoid contact with skin.

Respiratory protection:

Not applicable. During spraying wear suitable respiratory equipment. Mask P2 in case an airless machine is used.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Color according to color choice.

Odour : Characteristic.

Odour threshold : No data available

pH : 7.5 - 10

Relative evaporation rate (butylacetate=1) : No data available

Melting point : ≈ 0 °C

Freezing point : ≈ 0 °C

Boiling point : ≈ 100 °C

Flash point : Not applicable.

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Non flammable.

Vapour pressure : Not applicable.

Relative vapour density at 20 °C : No data available

UNICOVER MAT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative density	: No data available
Solubility	: Soluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: $\approx 25000 \text{ mPa}\cdot\text{s}$
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Explosive limits	: No data available

9.2. Other information

VOC content : < 40 g/l EU limit value for this product (catA/c): 40 g/l (2010).

SECTION 10: Stability and reactivity

10.1. Reactivity

Not applicable.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Incomplete combustion will generate poisonous carbon monoxide, carbon dioxide and other toxic gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)

LD50 oral rat	3305 mg/kg
LD50 dermal rabbit	2764 mg/kg
LC50 inhalation rat (Vapours - mg/l/4h)	$\geq 50 \text{ mg/l/4h}$

Skin corrosion/irritation	: Not classified pH: 7.5 - 10
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified pH: 7.5 - 10
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified

UNICOVER MAT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : In water, material soluble.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether (112-34-5)

LC50 fish 1	1300 mg/l
EC50 Daphnia 1	> 100 mg/l
ErC50 (algae)	> 100 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

UNICOVER MAT

Ecology - soil : None known.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Forbidden through garbage can or sewerage, follow the next guidelines: 75/442/EG & 91/689/EG .

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IATA

14.1. UN number

UN-No. (ADR) : Not applicable

UN-No. (IATA) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable

Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IATA) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Other information : No supplementary information available

UNICOVER MAT

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

- Overland transport

Not applicable

- Air transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : < 40 g/l EU limit value for this product (catA/c): 40 g/l (2010).

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H319	Causes serious eye irritation.
EUH208	Contains chloromethylisothiazolineon & methylisothiazolineon (3:1), 1,2-benzisothiazol-3(2H)-one, bis(1,2,2,6,6-pentamethyl-4-piperidyl)sebacate, Hydroxyphenylbenzotriazol (Mixture) . May produce an allergic reaction.
EUH210	Safety data sheet available on request.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.