

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : REWANET MEGA SUPER CONCENTRE  
Type of product : Water-based dispersion / solution.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : SU3 Industrial uses: Uses of substances as such or in preparations\* at industrial sites, SU19 Building and construction work, SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
Function or use category : PC35 Washing and cleaning products (including solvent based products), PROC7 Industrial spraying, PROC8a Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at non dedicated facilities, PROC8b Transfer of substance or preparation (charging/discharging) from/to vessels/large containers at dedicated facilities, PROC10 Roller application or brushing, PROC11 Non industrial spraying, ERC8d Wide dispersive outdoor use of processing aids in open systems

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Rewah  
Nijverheidsweg 24  
B-2240 Zandhoven  
Belgique-België  
T +32 (0)3 4751414 - F +32 (0)3 4751094  
[info@rewah.com](mailto:info@rewah.com)

#### 1.4. Emergency telephone number

Emergency number : +32 (0)70 245 245

Country	Organisation/Company	Address	Emergency number	Comment
Belgium	Centre Anti-Poisons/Antigifocentrum c/o Hôpital Central de la Base - Reine Astrid	Rue Bruyn 1 1120 Bruxelles/Brussel	+ 32 (0)70 245 245	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Oral) H302  
Skin Corr. 1B H314  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410

Full text of hazard classes, H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

# REWANET MEGA SUPER CONCENTRE

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

GHS09

Signal word (CLP) :

Danger

Contains :

Isotridecyl alcohol polyoxyethylene ether

Hazard statements (CLP) :

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) :

P273 - Avoid release to the environment.

P280 - Wear protective clothing/eye protection/face protection.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a doctor.

P501 - Dispose of contents to an approved waste disposal plant.

### 2.3. Other hazards

Other hazards which do not result in classification : The product does not meet the PBT and vPvB classification criteria.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alkyl dimethylbenzylammoniumchloride	CAS-No.: 68424-85-1 EC-No.: 270-325-2 REACH-no: 01-2119983287-23	≥ 25	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Isotridecyl alcohol polyoxyethylene ether	CAS-No.: 69011-36-5	5 – 25	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation

: Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

# REWANET MEGA SUPER CONCENTRE

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after eye contact	: Causes serious eye damage.

### 4.3. Indication of any immediate medical attention and special treatment needed

Not required.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: None, to our knowledge.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: In dry state: combustible.
Explosion hazard	: Not applicable.
Reactivity in case of fire	: Not applicable.

### 5.3. Advice for firefighters

Precautionary measures fire	: Avoid (reject) fire-fighting water to enter environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
Other information	: High temperature may liberate toxic gases.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing, gloves and eye/face protection.
----------------------	--

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Restrict liquid from spreading over surface with floating screens if possible.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Waste to eliminate according to chemical waste law.
-------------------------	---

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes.
Hygiene measures	: Wash hands thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container closed when not in use.
Storage temperature	: 5 – 30 °C
Storage area	: Store away from freezing (avoid freezing during storage).

# REWANET MEGA SUPER CONCENTRE

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Good ventilation of the workplace required. Eyewash station. recommended neutralizing eye wash bottle.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

The choice of the necessary personal protective equipment depends on the type to be carried out work and local conditions to be assessed by the employer. When in the

In the context of an on-site risk assessment, it is established that there is no risk to employees, personal protective equipment can be disregarded, respectively adjusted accordingly. The following information regarding personal protective equipment is a recommendation.

##### 8.2.2.1. Eye and face protection

##### Eye protection:

If there is a risk of liquid being splashed : Wear tight fitting safety glasses.

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

##### 8.2.2.2. Skin protection

##### Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Cotton or cotton/synthetic overalls or coveralls are normally suitable. Tyvek® Gown/Coveralls

Skin and body protection	
Type	Standard
Tyvek® Gown/Coveralls	EN 13034, EN 340

##### Hand protection:

Wear protective gloves. Permeation. 2 (> 30 minutes). Recommendation. Use nitrile gloves. Wear rubber gloves or Latex gloves. Protective gloves made of PVC. Replace gloves in time: no glovematerial is unlimited protecting to chemicals or a combination of chemicals.

# REWANET MEGA SUPER CONCENTRE

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0.38 mm		EN 374-3
Disposable gloves	Nitrile rubber (NBR)	2 (> 30 minutes)	> 0.12		EN 374-2

### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Dust/aerosol mask with filter type P1. In case of fumes or aerosols: wear a respirator conforming to EN140 with Type A/P2 filter or better. During spraying wear suitable respiratory equipment: . Mask P2 in case an airless machine is used.

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Do not flush into surface water or sewer system.

#### Other information:

Wash hands and face before break and at end of works. When using, do not eat, drink or smoke.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless. Green.
Odour	: Characteristic.
Odour threshold	: No data available
pH	: ≈ 8
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: ≈ 0 °C
Boiling point	: ≈ 100 °C
Flash point	: Not applicable.
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 1
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Not applicable.
Oxidising properties	: Not applicable.
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Not applicable.

# REWANET MEGA SUPER CONCENTRE

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

### 10.4. Conditions to avoid

Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids.

### 10.6. Hazardous decomposition products

Incomplete combustion will generate poisonous carbon monoxide, carbon dioxide and other toxic gases.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### REWANET MEGA SUPER CONCENTRE

ATE CLP (oral)	1372 mg/kg bodyweight
Skin corrosion/irritation	: Causes severe skin burns. pH: ≈ 8
Serious eye damage/irritation	: Assumed to cause serious eye damage pH: ≈ 8
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : In water, material soluble.  
Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.  
Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

#### Isotridecyl alcohol polyoxyethylene ether (69011-36-5)

LC50 - Fish [1]	1 – 10 <i>Leuciscus idus</i> (golden orfe)
EC50 - Crustacea [1]	1 – 10

# REWANET MEGA SUPER CONCENTRE

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 12.2. Persistence and degradability

#### REWANET MEGA SUPER CONCENTRE

Persistence and degradability	Product is biodegradable based on its components.
-------------------------------	---

#### Isotridecyl alcohol polyoxyethylene ether (69011-36-5)

Biodegradation	> 60 % (28d, OECD301B, C.4-C; 648/2004).
----------------	--

### 12.3. Bioaccumulative potential

#### REWANET MEGA SUPER CONCENTRE

Bioaccumulative potential	According to literature, not bioaccumulative.
---------------------------	---

### 12.4. Mobility in soil

#### REWANET MEGA SUPER CONCENTRE

Ecology - soil	None known.
----------------	-------------

Additional information	Harmful to fishes
------------------------	-------------------

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment .

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Forbidden through garbage can or sewerage, follow the next guidelines: 75/442/EG & 91/689/EG . Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

European List of Waste (LoW) code : 20 01 29\* - detergents containing dangerous substances

## SECTION 14: Transport information

In accordance with ADR / IATA

### 14.1 UN number

UN-No. (ADR) : UN 1760

UN-No. (IATA) : UN 1760

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : CORROSIVE LIQUID, N.O.S.

Proper Shipping Name (IATA) : Corrosive liquid, n.o.s.

Transport document description (ADR) : UN 1760 CORROSIVE LIQUID, N.O.S., 8, III, (E), ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 1760 Corrosive liquid, n.o.s., 8, III, ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 8

Danger labels (ADR) : 8

# REWANET MEGA SUPER CONCENTRE

## Safety Data Sheet

according to Regulation (EC) No. 453/2010



### IATA

Transport hazard class(es) (IATA) : 8  
Danger labels (IATA) : 8



### 14.4. Packing group

Packing group (ADR) : III  
Packing group (IATA) : III


### 14.5. Environmental hazards

Dangerous for the environment : Yes  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : C9  
Special provisions (ADR) : 274  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T7  
Portable tank and bulk container special provisions (ADR) : TP1, TP28  
Tank code (ADR) : L4BN  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Hazard identification number (Kemler No.) : 80  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 2X  
APP code : B

#### Air transport

Transport regulations (IATA) : Not applicable.  
PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y841  
PCA limited quantity max net quantity (IATA) : 1L  
PCA packing instructions (IATA) : 852  
PCA max net quantity (IATA) : 5L  
CAO packing instructions (IATA) : 856  
CAO max net quantity (IATA) : 60L  
Special provisions (IATA) : A3, A803  
ERG code (IATA) : 8L

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable



# REWANET MEGA SUPER CONCENTRE

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

##### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

#### Indication of changes

Section	Changed item	Change	Comments
1.2			
8.2			

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

#### Full text of H- and EUH-statements:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B

#### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Oral)	H302	Calculation method
---------------------	------	--------------------

# REWANET MEGA SUPER CONCENTRE

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Corr. 1B	H314	Expert judgment
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.